Available online at www.sciencedirect.com

SCIENCE DIRECT

ELSEVIER

Aquaculture 246 (2005) 511–513

Aquaculture

www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 246

VOL. 246 NOS. 1–4 **18 May 2005**

Special Section: Annual Review of Fish Diseases (ARFD)

Analysis of long-lived plasma cell production and regulation: Implications for vaccine design for aquaculture
S. Kaattari, E. Bromage and I. Kaattari (Gloucester, VA, USA) 1

Cloning of CYP1A in Atlantic salmon (*Salmo salar*)
C.B. Rees, H. Wu and W. Li (East Lansing, MI, USA) 11

Current research on the immunostimulatory effects of CpG oligodeoxynucleotides in fish
A.C.M.A.R. Tassakka (Kagoshima, Japan) and M. Sakai (Miyazaki, Japan) 25

A review of the main bacterial fish diseases in mariculture systems
A.E. Toranzo, B. Magariños and J.L. Romalde (Spain) 37

The acute ulceration response (AUR): A potentially widespread and serious cause of skin infection in fish
P. Udomkusonsri and E.J. Noga (Raleigh, North Carolina, USA) 63

A review of the Norwegian 'National Action Plan Against Salmon Lice on Salmonids': The effect on wild salmonids
P.A. Heuch (Oslo, Norway), P.A. Bjørn (Tromsø, Norway), B. Finstad (Trondheim, Norway), J.C. Holst, L. Asplin and F. Nilsen (Bergen, Norway) 79

Genetics

Thermal tolerance traits of juveniles of the ayu *Plecoglossus altivelis* and Japanese flounder *Paralichthys olivaceus* evaluated by their caudal fin cells
K. Sakamoto (Hiroshima, Miyagi, Japan) , M. Nakajima and N. Taniguchi (Miyagi, Japan) 93

Longitudinal genetic analysis of Nile tilapia (*Oreochromis niloticus* L.) body weight using a random regression model
M.J.M. Rutten, H. Komen and H. Bovenhuis (Wageningen, The Netherlands) 101

Production of clonal founders in the European sea bass, *Dicentrarchus labrax* L., by mitotic gynogenesis
D. Bertotto (Venice, Italy), F. Cepollaro (Padova, Italy), A. Libertini, A. Barbaro, A. Francescon (Venice, Italy), P. Belvedere (Padova, Italy), J. Barbaro (Venice, Italy) and L. Colombo (Padova, Italy) 115

Genetic parameters for fillet traits and body measurements in Nile tilapia (*Oreochromis niloticus* L.)
M.J.M. Rutten, H. Bovenhuis and H. Komen (Wageningen, The Netherlands) 125

Relationships of vertebral deformity with genetic variation and heterosis in the guppy *Poecilia reticulata*
T. Shikano (Windsor, Ontario, Canada), D. Ando (Hokkáido, Japan) and N. Taniguchi (Miyagi, Japan) 133

Genetic (co)variation in resistance to White Spot Syndrome Virus (WSSV) and harvest weight in *Penaeus* (*Litopenaeus*) *vannamei*
T. Gitterle (Bogotá, Colombia), R. Salte, B. Gjerde (Ås, Norway), J. Cock (Bogotá, Colombia), H. Johansen (Sundalsøra, Norway), M. Salazar, C. Lozano (Bogotá, Colombia) and M. Rye (Ås, Norway) 139

Population genetic structure of *Catla catla* (Hamilton) revealed by microsatellite DNA markers
Md.S. Alam and Md.S. Islam (Mymensingh, Bangladesh) 151

Husbandry and Management

Effects of two different incubation media on hatching success, body mass, and length in *Caiman latirostris*
C. Piña, M. Simoncini and A. Larriera (Santa Fe, Argentina) 161

Use of relaxants to obtain saibo tissue from the blacklip pearl oyster (*Pinctada margaritifera*) and the Akoya pearl oyster (*Pinctada fucata*)
H. Acosta-Salmón, E. Martínez-Fernández and P.C. Southgate (Townsville, Queensland, Australia) 167

Effect of temperature on incubation period and hatching success of obscure puffer *Takifugu obscurus* (Abe) eggs
Z. Yang (Nanjing, Beijing, People's Republic of China) and Y. Chen (Nanjing, People's Republic of China) 173
Reproductive cycle of *Argopecten purpuratus* (Bivalvia: Pectinidae) in La Rinconada marine reserve (Antofagasta, Chile): Response to environmental effects of El Niño and La Niña
M. Cantillanez, M. Avendaño (Antofagasta, Chile), G. Thouzeau and M. Le Pennec (Plouzané, France). 181
Impact of accelerated smoltification on muscle structure and fillet firmness at harvest in Atlantic salmon (*Salmo salar*)
V.L.A. Vieira (Scotland, United Kingdom), S.J.S. Johansen (Norway), R. Bickerdike and
I.A. Johnston (Scotland, United Kingdom) 197
Incompleteness and statistical uncertainty in competition/stocking experiments
M. Fréchette (Mont-Joli, QC, Canada), M. Alunno-Bruscia (L'HOUMEAU, France), J.-F. Dumais, R. Sirois (Rimonski, QC, Canada), and G. Daigle (Québec, QC, Canada) 209
Successful growth of pike fingerlings (*Esox lucius* L.) on pellet at artificial condition
B. Kucska, T. Müller, J. Sári, M. Bódis and M. Bercsényi (Keszthely, Hungary). 227
Response of juvenile brown tiger shrimp (*Penaeus esculentus*) to intensive culture conditions in a flow through tank system with three-dimensional artificial substrate
S.J. Arnold, M.J. Sellars, P.J. Crocos and G.J. Coman (Cleveland, Queensland, Australia) 231
Suppression of maturation in 2-year-old Chinook salmon (*Oncorhynchus tshawytscha*) reared under continuous photoperiod
M.J. Unwin (Christchurch, New Zealand), D.K. Rowe (Hamilton, New Zealand), C.W. Poortenaar (Hobart, Australia) and N.C. Boustead (Christchurch, New Zealand). 239
Flow, stocking density and treatment against *Polydora* spp.: Influences on nursery growth and mortality of the oysters *Crassostrea virginica* and *C. ariakensis*
M.J. Bishop and P.J. Hooper (Morehead City, NC, USA). 251
Artificial spawning in cultured sterlet sturgeon, *Acipenser ruthenus* L., with special emphasis on hermaphrodites
P. Williot, R. Brun, T. Rouault, M. Pelard, D. Mercier (Cestas, Cedex, France) and A. Ludwig (Berlin, Germany) 263
Effects of cryoprotectant toxicity and temperature sensitivity on the embryos of black tiger shrimp (*Penaeus monodon*)
V. Vuthiphandchai, B. Pengpun and S. Nimrat (Chonburi, Thailand) 275
Effect of water flow and oxygen concentration on early settlement of the New Zealand green-lipped mussel, *Perna canaliculus*
A.C. Alfaro (Auckland, New Zealand). 285
Appearance and technological characteristics in wild and reared Eurasian perch, *Perca fluviatilis* (L.)
G. Mairesse, M. Thomas, J.-N. Gardeur and J. Brun-Bellut (Nancy, France). 295

Nutrition

Effects of different dietary protein content on growth and protease activity of *Eriocheir sinensis* larvae
L.-Q. Pan, G.-Q. Xiao, H.-X. Zhang and Z.-H. Luan (Qingdao, China) 313
Characterization of proteases from the digestive tract of sea cucumber (*Stichopus japonicus*): High alkaline protease activity
X.-y. Fu (Shandong Province, P.R. China), C.-h. Xue (Shandong Province, Zhejiang Province, P.R. China), B.-c. Miao, Z.-j. Li, X. Gao (Shandong Province, P.R. China) and W.-g. Yang (Zhejiang Province, P.R. China). 321
Lactic acid fermentation eliminates indigestible carbohydrates and antinutritional factors in soybean meal for Atlantic salmon (*Salmo salar*)
S. Refstie (Sunndalsøra, Norway), S. Sahlström, E. Bråthen (Ås, Norway), G. Baeverfjord (Sunndalsøra, Norway) and P. Krogedal (Dirdal, Norway). 331
Dietary protein/lipid ratio affects growth and amino acid and fatty acid absorption and metabolism in Senegalese sole (*Solea senegalensis* Kaup 1858) larvae
S. Morais (Faro, Portugal), W. Koven (Eilat, Israel), I. Rønnestad (Bergen, Norway), M.T. Dinis and L.E.C. Conceição (Faro, Portugal). 347
Quantitative and qualitative analysis of retinoids in *Artemia* and copepods by HPLC and diode array detection
M. Moren (Bergen, Norway), T.E. Gundersen (Oslo, Norway) and K. Hamre (Bergen, Norway). 359
Effects of α-tocopherol supplementation of rotifers on the growth of striped trumpeter *Latris lineata* larvae
M.R. Brown, G.A. Dunstan, P.D. Nichols, S.C. Battaglene, D.T. Morehead and A.L. Overweter (Tasmania, Australia). 367
Essential amino acid supplementation to fish meal-based diets with low protein to energy ratios improves the protein utilization in juvenile rainbow trout *Oncorhynchus mykiss*
T. Yamamoto, T. Sugita and H. Furuita (Mie, Japan) 379
Photoperiod and light intensity effects on growth and utilization of nutrients by the aquaculture feed microalga, *Tetraselmis chui* (PLY429)
S.L. Meseck, J.H. Alix and G.H. Wikfors (Milford, CT, United States) 393

Growth and biochemical composition of the diatom *Chaetoceros* cf. *wighamii* brightwell under different temperature, salinity and carbon dioxide levels. I. Protein, carbohydrates and lipids
S. de Castro Araújo and V.M.T. Garcia (Rio Grande-RS, Brazil) 405

Physiology and Endocrinology

The effects of stress on androgen production, spermiation response and sperm quality in high and low cortisol responsive domesticated male striped bass
D.A. Castranova, W. King V and L.C. Woods III (College Park, MD, United States) 413

The shape of the lipid vesicle is a potential marker for egg quality determination in the gilthead seabream, *Sparus aurata*, and in the sharpsnout seabream, *Diplodus puntazzo*
F. Lahnsteiner (Salzburg, Austria) and P. Patarnello (Monfalcone, Italy) 423

Bovine growth hormone treatment increased IGF-I in circulation and induced the production of a specific immune response in rainbow trout (*Oncorhynchus mykiss*)
P.R. Biga (Moscow, ID, United States), B.C. Peterson (Stoneville, MS, United States), G.T. Schelling (Moscow, ID, United States), R.W. Hardy (Hagerman, ID, United States), K.D. Cain (Moscow, ID, United States), K. Overturf (Hagerman, ID, United States) and T.L. Ott (Moscow, ID, United States) 437

Mantle regeneration in the pearl oysters *Pinctada fucata* and *Pinctada margaritifera*
H. Acosta-Salmón and P.C. Southgate (Townsville, Qld, Australia) 447

Chemical and physical effects of crowding on growth and survival of *Penaeus monodon* Fabricius post-larvae
B.T. Nga (Vietnam), M. Lürling, E.T.H.M. Peeters, R. Roijackers, M. Scheffer (Wageningen, The Netherlands) and T.T. Nghia (Vietnam) 455

Comparative efficacy of clove oil and 2-phenoxyethanol as anesthetics in the aquaculture of European sea bass (*Dicentrarchus labrax*) and gilthead sea bream (*Sparus aurata*) at different temperatures
C.C. Mylonas (Crete, Greece), G. Cardinaletti (Crete, Greece; Camerino, Italy), I. Sigelaki (Crete, Greece) and A. Polzonetti-Magni (Camerino, Italy) 467

Effects of 28 day exposure to cold temperature or feed restriction on growth, body composition, and expression of genes related to muscle growth and metabolism in channel catfish
T.E. Weber and B.G. Bosworth (Stoneville, Mississippi, United States) 483

Short Communication

Relationship between egg specific gravity and egg quality in the Japanese eel, *Anguilla japonica*
T. Unuma, S. Kondo, H. Tanaka, H. Kagawa, K. Nomura and H. Ohta (Mie, Japan) 493

Book Reviews

Blue Genes, Sharing and Conserving the World's Aquatic Bioversity
C.E. Nash (Seattle, United States) 501

Biology and culture of channel catfish
M. Jobling (Tromsø, Norway) 502

Guide for Authors 505

Contents of *Aquaculture*, Volume 246 511